

# SAFETY DATA SHEET

### NG-X Compressor Oil 100 Synthetic PAG

# Section 1. Identification

GHS product identifier	: NG-X Compressor Oil 100 Synthetic PAG
Trade name	: Not available.
Other means of identification	: Not available.
Product code	: 0181
Product type	: Liquid.
Identified uses	: Industrial lubricant.
Supplier's details	: Nemco Resources Ltd 25 Midland Street Winnipeg, Manitoba R3E 3J6 PH 204.788.1030   FX 204.788.1593   TF 855.755.6737 EM info@nemco.ca   WEB www.nemco.ca
Emergency telephone number (with hours of operation)	: Nemco (Restriction - Business Hours): Monday - Friday 8:00am - 4:00pm 204-788-1030 or Toll free 1-855-755-6737 After hours: http://nemco.ca/msds-safety-information/

### Section 2. Hazard identification

Classification of the substance or mixture	: SKIN SENSITIZATION - Category 1 AQUATIC HAZARD (ACUTE) - Category 3 AQUATIC HAZARD (LONG-TERM) - Category 3
<u>GHS label elements</u> Hazard pictograms	

Signal word	: Warning
Hazard statements	: H317 - May cause an allergic skin reaction. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements	
Prevention	<ul> <li>P280 - Wear protective gloves.</li> <li>P273 - Avoid release to the environment.</li> <li>P261 - Avoid breathing vapor.</li> <li>P272 - Contaminated work clothing should not be allowed out of the workplace.</li> </ul>



### Section 2. Hazard identification

Response	<ul> <li>P302 + P352 + P362 + P364 - IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.</li> <li>P333 + P313 - If skin irritation or rash occurs: Get medical attention.</li> </ul>
Storage	: Not applicable.
Disposal	<ul> <li>P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.</li> </ul>
Other hazards which do not result in classification/ HHNOC/PHNOC	: None known.

### Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of identification	: Not available.

#### **CAS number/other identifiers**

CAS number	: Not applicable.
Product code	: 0181
Ingredient name	

Ingredient name	% (w/w)	CAS number
N-1-naphthylaniline	0.1 - 1	90-30-2

The exact percentage (concentration) in the composition has been withheld as a trade secret in accordance with the amended HPR as of April 2018.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-aid measures

#### **Description of necessary first aid measures**

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash with plenty of soap and water. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.



### Section 4. First-aid measures

Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and ge medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Most important symptoms/e	ffects, acute and delayed
Potential acute health effect	<u>ets</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/symp</u>	itoms
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No known significant effects or critical hazards.
Indication of immediate med	lical attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
See toxicological information (Sect	1

Section	5	Firo_fi	ahtina	measure
Section	Э.	гие-и	gnung	measure

Extinguishing media		
Suitable extinguishing media	: Carbon dioxide, dry chemical, foam and water fog or spray.	
Unsuitable extinguishing media	: None known.	
Specific hazards arising from the chemical	: This material is harmful to aquatic life with long lasting effects. Fire was contaminated with this material must be contained and prevented from discharged to any waterway, sewer or drain. See Section 10 for further	n being
Hazardous thermal decomposition products	: No specific data.	
www.nemco.ca 1-855-7	<b>55-6737 Code:</b> 0181	3/10
Date of issue : 10/15/201	9 Version	<b>1</b> :1



NG-X Compressor Oil 100 Synthetic PAG

# Section 5. Fire-fighting measures

Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incide there is a fire. No action shall be taken involving any personal risk or without suitable training.	ent if
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	

### Section 6. Accidental release measures

Personal precautions, protect	Personal precautions, protective equipment and emergency procedures				
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.			
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".			
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.			

#### Methods and materials for containment and cleaning up

Spill: Stop leak if without risk. Move containers from spill area. Approach release from<br/>upwind. Prevent entry into sewers, water courses, basements or confined areas.<br/>Wash spillages into an effluent treatment plant or proceed as follows. Contain and<br/>collect spillage with non-combustible, absorbent material e.g. sand, earth,<br/>vermiculite or diatomaceous earth and place in container for disposal according to<br/>local regulations (see Section 13). Dispose of via a licensed waste disposal<br/>contractor. Contaminated absorbent material may pose the same hazard as the<br/>spilled product. Note: see Section 1 for emergency contact information and Section<br/>13 for waste disposal.

### Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

www.nemco.ca	1-855-755-6737	Code:	0181		4/10
Date of issue	: 10/15/2019			Version : 1	



**Control parameters** 

**Occupational exposure limits** 

# Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
--	--

### Section 8. Exposure controls/personal protection

None.	
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
Individual protection measure	<u>S</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.



### Section 9. Physical and chemical properties

#### **Appearance**

Physical state	:	Liquid.
Color	:	Clear.
Odor	:	Mild.
Odor threshold	:	Not available.
рН	:	Not available.
Freezing point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Open cup: 254.44°C (490°F) [Cleveland.]
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive (flammable) limits	:	Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	1.045 at 15°C
Solubility	:	Insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Kinematic: 20.3 cSt (100°C) Kinematic: 88 to 110 cSt (40°C)

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Strong oxidizing agents.
Hazardous decomposition products	: Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion.



## Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
N-1-naphthylaniline	LD50 Dermal LD50 Oral	Rabbit Rat	>5000 mg/kg 1625 mg/kg	-

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
N-1-naphthylaniline	Skin - Mild irritant Skin - Mild irritant Skin - Mild irritant	Rabbit Rabbit Rabbit	- -	50% 4 hours 5% 1008 hours 5% Intermittent	- -

#### **Sensitization**

There is no data available.

#### **Mutagenicity**

There is no data available.

#### **Carcinogenicity**

There is no data available.

#### **Reproductive toxicity**

There is no data available.

#### **Teratogenicity**

There is no data available.

#### Specific target organ toxicity (single exposure)

There is no data available.

#### Specific target organ toxicity (repeated exposure)

Name	Category	Target organs
N-1-naphthylaniline	Category 2	Not determined

#### Aspiration hazard

There is no data available.

www.nemco.ca	<b>1-855-755-6737 Code:</b> 0181	7/10
Ingestion	: No known significant effects or critical hazards.	
Skin contact	: Adverse symptoms may include the following: irritation redness	
Inhalation	: No known significant effects or critical hazards.	
Eye contact	: No known significant effects or critical hazards.	
Symptoms related	to the physical, chemical and toxicological characteristics	
Ingestion	: No known significant effects or critical hazards.	
Skin contact	: May cause an allergic skin reaction.	
Inhalation	: No known significant effects or critical hazards.	
Eye contact	: No known significant effects or critical hazards.	
Potential acute hea	Ith effects	
Information on the routes of exposure	•	

Date of issue : 10/15/2019

Version : 1

NG-X Compressor Oil 100 Synthetic PAG

### Section 11. Toxicological information

#### Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>		
Potential immediate effects	nown significant effects or critical hazards	).
Potential delayed effects	nown significant effects or critical hazards	i.
<u>Long term exposure</u>		
Potential immediate effects	nown significant effects or critical hazards	).
Potential delayed effects	nown significant effects or critical hazards	i.
Potential chronic health effe		
General	sensitized, a severe allergic reaction ma ry low levels.	y occur when subsequently exposed
Carcinogenicity	nown significant effects or critical hazards	i.
Mutagenicity	nown significant effects or critical hazards	i.
Teratogenicity	nown significant effects or critical hazards	i.
Developmental effects	nown significant effects or critical hazards	i.
Fertility effects	nown significant effects or critical hazards	

#### Numerical measures of toxicity

Acute toxicity estimates

There is no data available.

## Section 12. Ecological information

#### **Toxicity**

There is no data available.

#### Persistence and degradability

There is no data available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
N-1-naphthylaniline	4.28	1424	high

<u>Mobility in soil</u> Soil/water partition coefficient (K <sub>oc</sub> )	: There is no data available.
Other adverse effects	: No known significant effects or o

J	liei	auv	6136	elle	613

: No known significant effects or critical hazards.

www.nemco.ca	1-855-755-6737	C
www.nemco.ca	1-855-755-6737	C



NG-X Compressor Oil 100 Synthetic PAG

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	TDG Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Additional information	-	-	-

AERG : Not applicable

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

### Section 15. Regulatory information

: All components are listed or exempted.
: None of the components are listed.
: None of the components are listed.

Date of issue : 10/15/2019



### Section 16. Other information

#### Procedure used to derive the classification

Classification	Justification
SKIN SENSITIZATION - Category 1 AQUATIC HAZARD (ACUTE) - Category 3 AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method Calculation method Calculation method
History	
Data of issue : 10/15/2019	

Date of issue	: 10/15/2019
Date of previous issue	: Not applicable
Version	: 1
Prepared by	: KMK Regulatory Services Inc. (www.kmkregservices.com)
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations HPR = Hazardous Products Regulations

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and

should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

1-855-755-6737